

Factory-Verified Replacement

MERYDOM 16352001

Certified for interchange with Kaydon 16352001. This document consolidates the public product record, complete published specifications, technical media, source traceability and engineering confirmation notes.

LEVEL 3 - MERYDOM ENGINEERING VERIFIED

Reviewed by MERYDOM Engineering Department. Final application approval must confirm loads, duty cycle, mounting rigidity, bolt capacity, lubrication and operating conditions.

MERYDOM MODEL

16352001

REFERENCE

Kaydon 16352001

SERIES

TR Series

STRUCTURE

Rolos de tr s carreiras

OVERALL OD

2,362.2 mm

OVERALL ID

1,841.5 mm

OVERALL HEIGHT

229.87 mm

GEAR

Sem engrenagem

No public model drawing is attached to this record. Submit the application and required interface format for final drawing confirmation.

Complete Product Data

All values below are generated from the current public verified replacement record. Source values are retained and metric references are shown where available.

MERYDOM CERTIFIED PRODUCT	
Product brand	MERYDOM
MERYDOM model	16352001
Certified interchangeable with	Kaydon 16352001
Verification status	Level 3 - MERYDOM Engineering Verified
Reviewed by	MERYDOM Engineering Department
Public record UID	D4TVRZ6GKSAEIKFF4EACGKBC3Y
MATERIALS	
Configurable ring material options	42CrMo / 50Mn
Seal material	NBR - Nitrile rubber
Configurable spacer material options	Engineering nylon / Brass
IDENTIFICATION	
Reference brand	Kaydon
Reference series	TR Series
Reference model	16352001
Bearing structure	Rolos de tr s carreiras
Gear arrangement	Sem engrenagem
DIMENSION	
Overall outside diameter (Do)	93.000 in Metric reference: aproximadamente 2.362 mm
Overall inside diameter (di)	72.500 in Metric reference: aproximadamente 1.842 mm
Outer ring inner diameter (Di)	80.960 in Metric reference: aproximadamente 2.056,4 mm

Complete Product Data

All values below are generated from the current public verified replacement record. Source values are retained and metric references are shown where available.

DIMENSION (CONTINUED)	
Inner ring outer diameter (do)	81.410 in Metric reference: aproximadamente 2.067,8 mm
Overall height (H)	9.050 in Metric reference: aproximadamente 229,9 mm
Assembly weight (G)	5630 lb Metric reference: aproximadamente 2.553,725 kg
MOUNTING	
Outer ring bolt circle (Lo)	89.500 in Metric reference: aproximadamente 2.273 mm
Inner ring bolt circle (Li)	76.000 in Metric reference: aproximadamente 1.930 mm
PERFORMANCE	
Moment load rating (Crm)	6404300 ft lbf Metric reference: aproximadamente 8.683,06 kN m
PERFORMANCE RATINGS	
Moment	6404300.0000000000 ft lbf Metric reference: aproximadamente 8.683,06 kN m
MOUNTING INTERFACES	
Outer ring mounting	60 holes - 1.625
Inner ring mounting	60 holes - 1.625
GEAR INTERFACE	
Integral gear	Not applicable - ungeared bearing
SOURCE TRACEABILITY	
Source document code	KAYDON-CAT390
Source file	Kaydon_Catalog_390.pdf
PDF page	106
Printed page	104
Source language	EN-US

Complete Product Data

All values below are generated from the current public verified replacement record. Source values are retained and metric references are shown where available.

SOURCE TRACEABILITY (CONTINUED)	
Original unit system	Inch

Source and Verification Traceability

PUBLIC RECORD UID D4TVRZ6GKSAEIKFF4EACGKBC3Y	SOURCE DOCUMENT KAYDON-CAT390
SOURCE FILE Kaydon_Catalog_390.pdf	SOURCE LOCATION PDF page 106 Printed page 104
VERIFICATION Level 3 - MERYDOM Engineering Verified	REVIEWED BY MERYDOM Engineering Department

Engineering Confirmation Boundary

- 1

Confirm the exact model designation and all installation-envelope dimensions.
- 2

Confirm mounting-hole quantity, bolt circle, hole specification, bolt grade and preload.
- 3

Confirm gear arrangement, pitch system, tooth count, backlash and mating-pinion data.
- 4

Confirm axial, radial and moment loads, load combinations, duty cycle and required life.
- 5

Confirm support flatness and stiffness, lubrication, sealing, temperature and environment.
- 6

Final drawing revision, manufacturing tolerances and documentation package are confirmed with the quotation.

Request Price, Delivery and Final Engineering Confirmation

Email: jovi@merydom.com | Email: andi@merydom.com | WhatsApp: +86 17705201170

Product page: <https://rotnex.com/pt/produtos/rolamentos-de-giro-de-substituicao/kaydon/16352001/>

Trademark and legal notice: referenced brand and model names are used only for identification and cross-reference. MERYDOM is an independent manufacturer and is not affiliated with or endorsed by the referenced brand unless expressly stated.